

610 W 4th St. Snyder, NE 68664 | P: 402.568.2224

SMEAL.COM

A SPARTAN MOTORS
BRAND

Quote Summary with Notes

Customer:
Dealership: Atlantic Coast Fire Trucks
37 Stonington Drive
Quote No: 0020559**Quote Name:** ACFT 2020 Demo S5074**S.O.#:****Unit Type:****Option ID****Description**

General Info

General Info Section

911099

Custom Pumper*Shop Note:**Incorporated change order A, B, C, and D.*

911085

Destination, United States

911059

Bidding Prerequisites, United States

911069

Intent of Specifications, Pumper

911060

Standards Version, NFPA 1901-2016

911064

Inspection Certificate, NFPA 1901 Compliance

911070

Documentation, NFPA

980016

Owner's Manuals, Electronic, (1) USB Drive

911080

Misc. Equipment Allowance, 2,000 Lb.

900977

Tilt Table Test, Not Required, Similar Unit

980012

Pump Certification, Independent Third Party

911066

Pump Certification Measure, U.S. GPM

911304

Apparatus Production Photos

UPO0031730

Pre-Construction Meeting, Customer/Dealer Location

911074

Final Inspection, OEM Factory, Required

900466

Overall Height, 118 (9'-10")

900159

Overall Length, 404" (33'-8")

900552

Wheelbase, 204 (17'-0")

900657

Angle of Approach, 12 Degrees

900676

Angle of Departure, 10 Degrees

Chassis

Chassis Section

910014

Custom Chassis, Spartan, Metro Star

910019

Axles, Single

001360

OEM Chassis Preparations, Spartan Metro Star/Gladiator

001200

Mud Flaps, Front Chassis Provided, Rear OEM Provided

910021

Cab Electrical, Multiplex

001379

Heat Exchanger, Chassis Supplied and Installed

901165

Leave Cab Tilt in Chassis Specified Location

910156

Front Bumper, Chassis Supplied and Installed

Option ID	Description
911284	Battery Charger, Chassis Supplied and Installed
111580	Accessory (USB) Dual Outlet, 12V, Blue Sea (1039), Battery Direct <i>Shop Note:</i> <i>Outlet shall be mounted on the engine tunnel shelf. Officer's side.</i> <i>Reference Picture in P drive.</i>
UPO0038007	Accessory (USB) Dual Outlet, 12V, Blue Sea (1039), Battery Direct <i>Shop Note:</i> <i>Outlet shall be mounted on the engine tunnel shelf. Officer's side.</i> <i>Reference Picture in P drive.</i>
110022	Mounting Plate, On Engine Tunnel, Aluminum, MultiSpec, Onyx
UPO0031732	Shelf, Back of Engine Tunnel, Multi-Spec Onyx
004901	Outlet Bar, 120V, (6) Receptacles, 5-15R Household, Wired to Shoreline <i>Shop Note:</i> <i>Under shelf</i>
910049	Outlet Location, On Shelf, Back of Engine Tunnel
Water/Foam Tanks	<u>Water/Foam Tanks Section</u>
110108	Water Tank, UPF, 1000 U.S. Gallons
910157	Water Tank Mounting, Pumpers
000350	Water Tank Drain, 1-1/2" Valve, Pumpers
910161	Water Tank Fill Tower, UPF, Blue
003109	Water Tank Level Gauge, FRC Tankvision Pro 300 (WLA300-A00), Pump Operator's Panel
004096	Water Tank Overflow, UPF, 6", Pumpers w/o EHL
003989	Cover Over Water Tank, Tread Plate
000252	Foam Cell, UPF, 30 U.S. Gallon
910173	Foam Cell Type, Class B
910171	Foam Cell Fill Tower, UPF, Yellow
003111	Foam Cell Level Gauge, FRC Tankvision Pro 300, WLA370-A00, Class B Foam
UPO0038008	Dump Valve, Pre-engineered for Future Install
UPO0038009	None
Hose Bed	<u>Hose Bed Section</u>
110131	Hose Bed, Aluminum, Standard, Painted Primary Body Color Finish
910396	Hose Load, Double-Jacket Hose, 500' of 2-1/2"
910422	Hose Load, Double-Jacket Hose, 1000' of 5"
009334	Hose Bed Doors, Tread Plate, Power Operated, Sequenced, Grote LED Lighting (4) (61E41-3)
100002	Hose Bed Rear Restraint, Vinyl, Top C-Rail, Bottom Bungee, Black
010156	Hose Bed Divider (1), 1/4" Alum., Adjustable, Abraded
Body / Pump Module	<u>Body / Pump Module</u>
002630	Body, 100" Wide, Custom Pumper, Single-Axle, Aluminum, 1/8"
121763	Side Compartment Doors, Roll-Up Doors, ROM, Painted Doors and Trim
120861	Side Compartment Doors, Roll-Up Doors, ROM, Painted Doors and Trim (6)

Option ID	Description
120874	Compartment Door Handles, All Non-Locking
004935	Drip Tray, Roll-up Door, ROM, Load Center Compartment
120954	Rear Compartment Door, (1), ROM Roll-Up Door, Satin, Non-Locking <i>Shop Note:</i> <i>The T1 door will be pre wired for interlock for future install of dump chute.</i>
121079	Compartment Lighting, On-Scene, Access Series LED (14)
000934	Compartment Finish, Line-X, Gray
120470	Flooring, Turtle Tiles, All Interior Body Compartment Shelves / Adjustable Trays Only
000474	Air Release and Drain Holes, All Compartments
010214	Fuel Fill, OEM Polished Door, Driver's Side
901151	Wheel Well Storage Design, Single Axle, Standard
120709	Driver's (Left) Body Style, Single Axle, L1 Full, L2 Upper, L3 Full
L1	L1 Components
Height	Height - 58"
Width	Width - 41"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 26"
Divide Height	Intermediate Divide Height - 0"
120288	Shelves (2), Adjustable, Aluminum, Full Depth (4 Struts), Abraded
007809	Tool Board (1), Slide Out Aluminum, Full Height, Full Depth, Abraded Pegboard, Locking Roller Assembly
120785	Compartment Struts, Vertical, Welded Aluminum
000471	Vertical Partition, Bolt-In, Full Height <i>Shop Note:</i> <i>Shall be located in same location as S4566 Demo.</i>
Cmpt. Layout	
L2	L2 Components
Height	Height - 26"
Width	Width - 65"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 0"
Divide Height	Intermediate Divide Height - 0"
002742	Shelf (1), Adjustable, Aluminum, Full Depth (4 Struts), Abraded
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	
L3	L3 Components
Height	Height - 58"
Width	Width - 41"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 26"
Divide Height	Intermediate Divide Height - 0"
120288	Shelves (2), Adjustable, Aluminum, Full Depth (4 Struts), Abraded
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	

Option ID	Description
009390	WL1, Air Bottle Compartment, OEM Polished SS Door, Triple (Triangle) 8"
120729	Officer's (Right) Body Style, Single Axle, R1 Full, Equipment Rack, R2 Upper, R3 Full
R1	R1 Components
Height	Height - 58"
Width	Width - 41"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 26"
Divide Height	Intermediate Divide Height - 0"
120288	Shelves (2), Adjustable, Aluminum, Full Depth (4 Struts), Abraded
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	
R2	R2 Components
Height	Height - 26"
Width	Width - 39"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 0"
Divide Height	Intermediate Divide Height - 0"
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	
R3	R3 Components
Height	Height - 58"
Width	Width - 41"
Upper Depth	Upper Depth - 26"
Lower Depth	Lower Depth - 26"
Divide Height	Intermediate Divide Height - 0"
002742	Shelf (1), Adjustable, Aluminum, Full Depth (4 Struts), Abraded
002499	Tray (1), Floor-Mounted Roll Out, Austin Hardware, 300#, 100% Extension, Abraded, With Front Drawer Release
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	
009429	WR1, Air Bottle Compartment, OEM Polished SS Door, Triple (Triangle) 8"
009454	WR3, Speed Dry Compartment, OEM Polished SS Door, Triangle
009216	Hydraulic Equipment Rack Attachment, Officer's Side, Ground Ladders, Pike Poles
121183	Hydraulic Equipment Rack Accessories, Painted Aluminum Cover, No Shield
121189	Hydraulic Equipment Rack Switch, Located on Pump Panel <i>Shop Note:</i> <i>Switch shall be located on the officer's side pump panel.</i>
000745	Audible Alarm for Hydraulic Equipment Rack
121483	Rear Body Style, Flat Back, Standard Hose Bed, One Compartment
T1	T1 Components
Height	Height - 34"

Option ID	Description
Width	Width - 43"
Depth	Depth - 19"
UPO0031733	Tray, (1), Floor-Mounted Roll Out, Austin Hardware, 500#, 100% Extension, Abraded
120785	Compartment Struts, Vertical, Welded Aluminum
Cmpt. Layout	
005119	Sub-Frame, GS-36, Hot-Dip Galvanized, Custom Pumpers, Aluminum and Galvaneal Bodies
120521	Hatch Compartment, Driver's Side, 2-Door, No Centered Bulkhead, On-Scene Access LED Lighting
	<i>Shop Note: H1/H2 18W X 64L X 15D</i>
120752	Hatch Compartment Flooring, Driver's Side, Turtle Tile, Entire Hatch
900963	Walkways/Overlays/Stepping Surfaces, Tread Plate, NFPA 1901
003558	Rear Deck, Bolt-On, Flat Back, Tread Plate, 13.25"
UPO0031734	Upper Rear Body Stepping Area
005118	Rub Rails, "C" Channel Design
010080	Tow Option, Rear, Tow Eye, One (1), Underbody Subframe
002186	Wheel Wells, Rear, Single Axle
003559	Fenderettes, (2), Single Axle, Stainless Steel
120489	Exhaust Heat Deflector Shield, 4"
004929	Access Panel for Fuel Tank Gauge, Pumpers
002427	License Plate Bracket
005155	Stainless Steel Screws, Pumper
911283	NO Bag of Bolts
000505	Overlay, Tread Plate, Vertical Areas of Both Front Compartments
007897	Front Steps and Lighting, Cast Products, Folding Steps (4), Driver's Side
007902	Front Steps and Lighting, Cast Products, Folding Steps (4), Officer's Side
120548	Rear Steps and Lighting, Cast Products, Bolt-On, Seven (7), 4 Driver's Side and 3 Officer's Side
005741	Rear Step, Below Hose Bed, Grip-Strut
901163	Handrail Material, Knurled Aluminum, Hansen LED (White) Backlit
101195	Handrail, Body (Front), Top, Driver's Side, Hansen Backlit White, Knurled Aluminum
101196	Handrail, Body (Front), Top, Officer's Side, Hansen Backlit White, Knurled Aluminum
101201	Handrails, Body (Rear), Rear Face, Vertical, Both Sides, Hansen Backlit White, Knurled Aluminum
UPO0038010	Handrail, Horizontal, Rear Landing Area, Driver's Side, Top, Aluminum, Hansen Backlit, White, EPDM Rubber
900986	Ladder Storage, Hydraulic Equipment Rack, Officer's Side
001296	Ladder (1), Duo-Safety, 24' Aluminum Two-Section Extension, 900-A
001293	Ladder (1), Duo-Safety, 14' Aluminum Roof, 775-A
001291	Ladder (1), Duo-Safety, 10' Aluminum Folding Attic, 585-A
009221	Pike Pole Tubes (3), Hydraulic Equipment Rack, Officer's Side

Option ID	Description
009283	Hard Suction Hose Storage, One (1) Hose, Behind Officer's Side Header, Enclosed Compartment, Painted Door
001224	Hard Suction Hose (1), Firequip, 6" x 10' (OAL 10' 6") LHF x RLM, Maxi-Flex PVC
009282	Hard Suction Hose Storage, One (1) Hose, Behind Driver's Side Header, Enclosed Compartment, Painted Door
001224	Hard Suction Hose (1), Firequip, 6" x 10' (OAL 10' 6") LHF x RLM, Maxi-Flex PVC
900951	Wheel Chock Storage, Under Front of Body, Driver's Side
004949	Wheel Chocks, (1) Pair, Cast Products, TMC1008-4 and Bracket, OEM Installed
110174	Pump Module, Side Mount, Independent, 1/8" Aluminum
004731	Pump Compartment Internal Lighting, LED, On-Scene
009864	Running Board, Driver's Side, Bolt-On, Tread Plate
111014	Running Board, Officer's Side, Bolt-On, Tread Plate, Storage Well, Floating, PAC Straps
111028	Running Board Storage Well Tile, (1), Turtle Tile Flooring
009973	Dunnage Compartment, Tread Plate, Above Pump Module, NO Cover
005149	Access Panel, Pump, Front Pump Module, Removable, Tread Plate, Compression Latches, Side Mounts, RMA's
007192	Access Panel, Pump, Officer's Side, Pump Module, Side-Hinged, Painted Aluminum, Compression Latches
110222	Pump Panels, Side Mount, Controls on Driver's Side, Black Line-X Finish, IC Bezels/Trim Rings/Labels
121813	Pump Panel Lighting, Both Side Panels, LED, Grote Radius
910612	Pump Panel Lighting Activation, Automatic with Park Brake Engaged
Pump / Foam System	<u>Pump / Foam System</u>
100157	Pump, Waterous, Single-Stage, 2000 GPM, CSUC20, Flame Plated Impeller Hubs
910618	Grafoil Packing, Waterous
002792	Anodes, Waterous, Zinc, 2 Discharge, 2 Intake
910624	Pump Rating, 2000 GPM
910640	Pump Mounting, Independent Pump Module
100272	Pump Shift, Chassis Sup/Instl, Electric-Over-Air, Lights Incorporated with Pres. Gov.
009531	Governor, Pump Boss 400, FRC
111113	Intake Relief Valve, Pump, TFT A1850, Factory Preset
006588	Primer, Trident, AirPrime (3-Barrel), Air-Operated Valve (31.001.7)
000112	Master Drain Valve, Trident
910645	Pump Color Primed Black - Intakes Unpainted
111069	Pump and Engine Cooling System, Inn. Cntrls, 3/8" I.D., Hose, Controls on Pump Panel
100760	Engineered for Future Foam - Space on Panel - FoamPro 2001/ FoamPro 2002 Foam System

Option ID	Description
	<p><i>Shop Note:</i> <i>The Front bumper discharge and the three (3) crosslays will be engineered for foam. There shall be space on pump panel to allow for installation of foam system controls.</i></p>
006644	Manifold, Waterous, Standard, Side Mounts, Foam
910503	Akron 8800/8600 - Push/Pull Discharges (RC-10 on 3" or Larger) - Manual Intakes
911031	Gauge Brand, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauges - PSI 0-400, LED Backlit
	<p><i>Shop Note:</i> <i>IC is working on a solution for the problem with the brass cased gauges. Do not order gauges till IC has worked out the details on the solution. We will use No-Shock gauges if new design gauges from Thuemling are not available.</i></p>
111128	Master Pressure Gauge Assembly with Test Ports, Inn. Cntrls, 4", Liquid Filled, Brass Case Gauges, PSI -30-0-400, Both Blue LED Backlit
911038	Include with Master Pressure Gauge Assembly
910527	Hardware Brand, South Park, NH Intake Swivels, NH Discharges, TFT Storz
100377	Drains, Innovative Controls, Manual Lift Handle
911305	Plumbing Labels, OEM Standard
Tank/Pump Plumbing Labels	Tank/Pump Plumbing Labels - The tank plumbing valves and controllers shall have the OEM Standard label package unless stated otherwise. The Pump-to-Tank Fill shall be labeled "TANK FILL" and shall have a light blue label color. The Tank-To-Pump shall be labeled "TANK TO PUMP" and shall have a Navy Blue label color.
100360	Pump to Tank Fill, 2.5", Akron 8800 2.5" Manual Valve, IC Push-Pull Handle
100310	Tank to Pump, 3", Akron 8800 3" Manual Valve, IC Push-Pull Handle
Intakes	<u>Intakes</u>
100381	Main Intake, Driver Side, 6", Short Tube, Full-Body Pump, MNST
007475	Cap, 6" NH, Vented Chrome, Trident, Smeal Logo, 01.003.9
002588	Auxiliary Intake, Driver-Side, 2-1/2", Fully Recessed
007059	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, TSC Handle
001246	Plug, NH, 2-1/2", South Park, HPC3008AC
100385	Main Intake, Officer Side, 6", Short Tube, Full-Body Pump, MNST
007475	Cap, 6" NH, Vented Chrome, Trident, Smeal Logo, 01.003.9
002587	Auxiliary Intake, Officer-Side, 2-1/2", Fully Recessed
007059	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, TSC Handle
001246	Plug, NH, 2-1/2", South Park, HPC3008AC
Intake Labels	Intake Labels - All intakes shall have the OEM Standard label package unless stated otherwise. All intake labels shall be burgundy in color. Specific verbiage on each intake label tag shall be determined at the pre-construction meeting.
Discharges	<u>Discharges</u>
002545	Discharge, Driver-Side, 2-1/2", NST (250 GPM NFPA Rated)

Option ID	Description
111712	Valve, 2-1/2", Akron, Manual, 8625, Stainless Ball, Innovative Controls Push Pull Controller (Rack and Sector)
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100527	Elbow (30 Deg.) 2-1/2" FNH x 2-1/2" MNH (SE393010AC) - NH Cap (HCC2808AC), Chrome, South Park
002545	Discharge, Driver-Side, 2-1/2", NST (250 GPM NFPA Rated)
111712	Valve, 2-1/2", Akron, Manual, 8625, Stainless Ball, Innovative Controls Push Pull Controller (Rack and Sector)
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100527	Elbow (30 Deg.) 2-1/2" FNH x 2-1/2" MNH (SE393010AC) - NH Cap (HCC2808AC), Chrome, South Park
002538	Discharge, Officer-Side, 2-1/2", NST (250 GPM NFPA Rated)
100659	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, Innovative Controls Push Pull Controller (Operators Panel)
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100527	Elbow (30 Deg.) 2-1/2" FNH x 2-1/2" MNH (SE393010AC) - NH Cap (HCC2808AC), Chrome, South Park
100482	Discharge, Officer-Side, 3", NST
100663	Valve, 3", Akron, Manual, 8830, Stainless Ball, Elkhart RC-10 Handwheel
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100607	Elbow (30 Deg.) 3" FNH x 5" Storz (AH3ST-NL) - Storz Cap (A01ST), TFT
121835	Discharge, Front Bumper Officer-Side, 1-1/2", Chassis Installed Plumbing, Above Gravelshield, NST
100658	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
910526	Preconnect Discharge
002543	Discharge, Rear Driver-Side, 2-1/2", NST (250 GPM NFPA Rated)
100658	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100527	Elbow (30 Deg.) 2-1/2" FNH x 2-1/2" MNH (SE393010AC) - NH Cap (HCC2808AC), Chrome, South Park
007440	Crosslays, Above Pump Panel, (2) 1-1/2" and (1) 2-1/2"
007013	Pre-connect Hose Bed Housing Coating, Abraded Finish
007018	Flooring, Dura-Dek
000205	Crosslay Rollers
009841	Crosslay Dividers (2), Abraded Aluminum
007020	Crosslay Cover, Hinged Tread Plate, Side Mount
004557	Crosslay End Covers, Webbing, Sides Over Rollers with Velcro Center

Option ID	Description
910701	Pre-connect, Crosslay/Speedlay, 1-1/2", NST
910654	Crosslay Load, 200' of 1-3/4" Hose, Single Stack
100653	Valve, 2", Akron, Manual, 8820, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
910526	Preconnect Discharge
910701	Pre-connect, Crosslay/Speedlay, 1-1/2", NST
910654	Crosslay Load, 200' of 1-3/4" Hose, Single Stack
100653	Valve, 2", Akron, Manual, 8820, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
910526	Preconnect Discharge
910702	Pre-connect, Swivel, Crosslay/Speedlay, 2-1/2", NST
910660	Crosslay Load, 200' of 2-1/2" Hose, Single Stack
100658	Valve, 2-1/2", Akron, Manual, 8825, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
910526	Preconnect Discharge
100768	Booster Reel, Hannay, Aluminum, Polished, Electric Rewind, 200' of 1" Hose Capacity
	<i>Shop Note:</i>
	<i>Reel Model number shall be EPF24-28-29</i>
910703	Booster Reel Location, Dunnage, Above the Pump
	<i>Shop Note:</i>
	<i>Driver side</i>
100648	Valve, 1-1/2", Akron, Manual, 8815, Stainless Ball, Innovative Controls Push Pull Controller
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
100809	Booster Hose, 1", 800 lb Test, 200', (2) 100' Sections
100827	Rewind Switch, Booster Reel, Driver's Side Pump Panel
000192	Roller Assembly, Additional, Booster Reel, Above Dunnage
100512	Deluge, Center, 3", NPT (375 GPM NFPA Rated)
100663	Valve, 3", Akron, Manual, 8830, Stainless Ball, Elkhart RC-10 Handwheel
121425	Pressure Gauge, Inn. Cntrls, 2-1/2", Liquid Filled Brass Case Gauge with Bezel, Orange Tip Pointer, PSI 0-400, Red LED Backlit
Discharge Labels	Discharge Labels - All discharges shall have the OEM Standard label package unless stated otherwise. Each discharge label shall be a unique color. Specific verbiage and colors on each discharge label tag shall be determined at the pre-construction meeting.
Low Voltage	<u>Low Voltage</u>
002955	Electrical System, Pumper, Weldon V-MUX Multiplex, QL-12 Harnesses, Sealed Switches

Option ID	Description
	<i>Shop Note:</i> <i>Seat belt display shall be located on the home screen.</i>
911058	Electrical System Test, 12 Volt
002849	Tail Lights, LED, Whelen, 600 Series, Stop-Tail (Combination) (60BTT)/Turn (60A00TAR)/Backup (60C00WCR)/Warning, 4-Light Vertical Casting
002192	Switch, Rear Work Light, At Rear/Reverse
008730	Turn Signals, (2) in Rub Rail, LED, Truck-Lite, Model 21
110362	Ground Lights, LED, Grote, Activation by Park Brake
006261	Clearance Lights, LED, Grote (65282), Red, Pumper
004882	Camera System, Back-Up, Chassis Supplied, OEM Installed
UPO0038011	Pre Wire fo T1 Interlock for Dump Chute
911317	Upper Zone A, Chassis Supplied and Installed
111371	Upper Zone C, Warning Lights (2), Whelen, LED, 600 Series
Upper Zone C Light/ Lens Color	Light/Lens Color - The driver's and officer's side warning lights shall both have red LED's and clear lenses.
111322	Upper Zone B/D, Warning Lights (4), Whelen, LED, 600 Series
Upper Zone B/D Light/Lens Color	Light/Lens Color - Red LED with clear lens
110473	Lower Zone Warning Lights (4 OEM Provided), A (0), B (1), C (2), D (1), Whelen, LED, 600 Series
Lower Zone Light/ Lens Color	Light/Lens Color - The lower zone warning lights shall all have red LED's and clear lenses.
111415	Warning Lights, Additional (2), Upper Zone C, Whelen, LED, 600 Series
Additional Light/Lens Color	Light/Lens Color - The driver's and officer's side beacons shall both have red LED's and clear lenses.
UPO0034200	Traffic Advisor, Chassis Supplied, OEM Installed, Whelen, 6-Light, 5mm LED Low-Profile, TAL65, Chassis Supplied and Installed, TACTL5 Controller
910738	Traffic Directional Light Location, Rear Body Face, Recess Mounted
000890	Air Horn Activation, Push Button on Pump Panel, Driver's Side
UPO0031736	Scene Lights, Pair, 12V, Akron, Surface Mount, LED Revel ELRE-SLDC-SF Chrome, 14,000 Lumen
910854	Lighting Location, Side Face of Body, Forward, Both Sides
110842	Lighting Activation, On V-Mux Screen, 'LEFT SCENE' and 'RIGHT SCENE'
UPO0031737	Scene Lights, Pair, 12V, Akron, Surface Mount, LED Revel ELRE-SLDC-SF Chrome, 14,000 Lumen
910853	Lighting Location, Side Face of Body, Rearward, Both Sides
110842	Lighting Activation, On V-Mux Screen, 'LEFT SCENE' and 'RIGHT SCENE'
UPO0031738	Scene Lights, Pair, 12V, Akron, Surface Mount, LED Revel ELRE-SLDC-SF Chrome, 14,000 Lumen
910851	Lighting Location, Rear Face of Body, Both Sides
110844	Lighting Activation, On V-Mux Screen, 'REAR SCENE', Wired to Rear Work Light Switch, Reverse
Line Voltage	<u>Line Voltage</u>
003800	Generator, Hydraulic, Onan, 8kW, 8RBAB, Onan Display

Option ID	Description
	<i>Shop Note: Frog display will be on the pump panel.</i>
002782	Generator Start, Remote, Hydraulic Gen., In Cab and on Pump Panel
000680	Generator PTO, Standard Hot Shift, Pumper
910718	Generator Operation in Drive
002790	Generator Location, Front of Body, Onan
000683	Generator Load Center, 8-Circuit, Non-GFI Breaker Box
910725	Generator Load Center Location, L1, Forward Bulkhead
110886	Cord Reel, Hannay, 120V, 200' 10/3 Yellow Cord, Terminate L5-20 Receptacle, Junction Box with Pigtail, Extenda-Lite
901148	Junction Box Option, Powder Coat Gray
910860	Junction Box Receptacle, 120V, 5-15R Household, Duplex
910863	Junction Box Receptacle, 120V, L5-20R Twistlock, Single
910860	Junction Box Receptacle, 120V, 5-15R Household, Duplex
910862	Junction Box Receptacle, 120V, L5-15R Twistlock, Duplex
910866	Cord Reel Location, Dunnage Area
UPO0031740	Scene Lights, Pair, Akron, Telescoping Side Mount Push Up, Style ELSS-XLAC-PU-SM2
110832	Lighting Location, On Rear Face of Custom Chassis, Both Sides
UPO0031741	Lighting Activation, Pair, On Pump Panel, Individually Switched Lights
Paint / Striping / Decals	<u>Paint / Striping / Decals</u>
900718	Chassis Paint, Chassis Manufacturer Painted, Two Tone
009171	Body Paint, Single Tone, Pumper, Aluminum Material
008841	Body Paint Color, Pumper, Single Tone, Red, PPG# FBCH-71096-ALT
001170	Under Body Finish, Two-Step Undercoating Process
006089	Corrosion Protection, Electrolysis Corrosion Kontrol (ECK)
001033	Sample Paint Card with Paint Formula
911237	Reflective Lettering, White
900879	Front Cab Striping, Wrap to Grill
007275	Two-Tone Paint Break, Engine-Turned 22kt Gold Leaf Striping
004522	Rub Rail Striping, 2", Silver, Reflective, Pumper
008620	Body Striping, Pumper, 1"-4"-1", High Angle Transition
900888	Upper Stripe Color, White
900906	Main Stripe Color, White
900924	Lower Stripe Color, White
900935	Chevron Color, Red / Fluorescent Yellow-Green, 3M 1172EC & 3983
006009	Chevron Layout, Rear Body Surface, Painted Storage Doors
Warranties	<u>Warranties</u>
W02450	Warranty, Protection Plan, Material and Workmanship, 2 Year
W10100A	Warranty, Body Structural Integrity, 10 Year
W10300A	Warranty, Plumbing, Stainless, 10 Year
WLF800	Warranty, Water Tank, UPF, Standard Lifetime
W20100A	Warranty, Substructure, Galvanized, 20 Year, Pumper, Rescue
W03200B	Warranty, Paint, 3 Year, Corrosion Perforation, 10 Year

Option ID	Description
W05810	Warranty, Pump, Waterous, Standard 5 Year